



Cut and heat protection glove with leather in the palm, 13 gauge, cut level D, extra durability, soft, flexible and comfortable.

## KEY FEATURES

- Cut protection level D.
- Extra leather in the palm offers a much better puncture protection, extra durability and a higher contact heat protection.
- Contact heat protection up to 100 °C.
- Soft, flexible and comfortable.



## PRODUCT DETAILS

Liner	UHMWPE mixed with other yarns
Gauge	13
Coating	N.A.
Finishing	N.A.
Colour	Grey
Size	7,8,9,10,11
Packing	6 pairs / pack, 72 pairs / carton
Tariff number	42032910

## RECOMMENDED APPLICATIONS

**Works with high cut hazard and / or contact heat hazard in dry or little wet conditions.**

Such as works in handling sharp or rough parts, metal & sheet metal works, stamping press works and etc.



## CERTIFICATION

**CE** EN21420:2020

Category II

**EN388:2016 Mechanical protection:  
levels obtained in laboratory tests**

Abrasion (min.0 to max. 4): **4**  
Blade cut - coupe test (Index) (min.0 to max. 5): **X**  
Tear (min.0 to max. 4): **4**  
Puncture (min.0 to max. 4): **4**  
Cut resistance from sharp objects EN ISO  
13997:1999 (min. 0 to max. F, X - not tested): **D**  
Impact protection (P if pass, F if failed): **-**

EN388:2016



**EN407:2020 Heat protection:**

**levels obtained in laboratory tests**

A - Limited flame spread: X of 4  
B - Contact heat: 1 of 4  
C - Convective heat: X of 4  
D - Radiant heat: X of 4  
E - Small drops of molten metal: X of 4  
F - Large quantity of molten metal: X of 4

EN407:2020



X1XXXX

X = not tested or testing method is unsuitable for the design of the gloves.

EN21420:2020 Dexterity (min.0 to max.5):  
**level 5.**

## STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general.  
The shelf life depends on the storage and other conditions. For the new product stored in a properly way, the shelf life of Xcellent 12-370 can normally be 5 years.

## CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

## WARNING

Don't use in case of chemicals, moving machines or electrical risk.  
Please ensure the products are strictly used within their protection levels.

