




Premium quality, Super flexible and comfortable. Better Grip. 15 gauge, micro-foam nitrile, extra dots.

KEY FEATURES

- Premium quality cut protection level C glove with high abrasion resistance.
- Much more lighter and comfortable than a 13 gauge similar cut level C/5 glove.
- Perfect dexterity, fitting and flexibility makes it also ideal for precision works.
- Extra dots offer much better grip performance to ensure a solid and safe grip, also it is more durable and cost effective.
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area.
- Contact heat protection up to 100 degree C.



PRODUCT DETAILS

Liner	UHMWPE mixed with other yarns
Gauge	15
Coating	Nitrile
Finishing	Micro-foam & Dotted
Colour	Dark Blue / Black
Size	7,8,9,10,11
Packing	12 pairs/pack, 144 pairs/carton
Tariff number	61161020

RECOMMENDED APPLICATIONS

General purpose or works with high cut hazard or puncture hazard or contact heat hazard in dry or light wet/oily conditions.

Such as handling sharp or rough parts, metal & sheet metal works, stamping press works and etc.



CERTIFICATION

CE EN21420:2020

Category II

EN388:2016 Mechanical protection: levels obtained in laboratory tests

Abrasion (min.0 to max. 4):	4
Blade cut - coupe test (Index) (min.0 to max. 5):	X
Tear (min.0 to max. 4):	4
Puncture (min.0 to max. 4):	3
Cut resistance from sharp objects EN ISO 13997:1999 (min. A to max. F, X - not tested):	C
Impact protection (P if pass, F if failed):	-

EN388:2016



EN407:2020 Heat protection: levels obtained in laboratory tests

A - Limited flame spread	X of 4
B - Contact heat:	1 of 4
C - Convective heat:	X of 4
D - Radiant heat:	X of 4
E - Small splashes of molten metal:	X of 4
F - Large quantities of moltenmetal:	X of 4

EN407:2020



X = not tested or testing method is unsuitable for the design of the gloves.

STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general. The shelf life depends on the storage and other conditions. For the new product stored in a properly way, the shelf life of Xcellent 12-905 can normally be 5 years.

CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

WARNING

Don't use in case of chemicals, moving machines or electrical risk.
Please ensure the products are strictly used within their protection levels.

