



Superior cut protection sleeve - level F, Velcro design. Very soft and comfortable. 13 gauge.

KEY FEATURES

- Superior cut protection sleeve - cut protection level F.
- Advanced yarns wrapping and knitting technology provides super cut protection but also great wearing comfort.
- The Velcro design holds the sleeve in position when wearing.
- Straight cuff makes it good fit with glove.



PRODUCT DETAILS

Liner	Steel fiber, UHMWPE, others
Gauge	13
Coating	N.A.
Finishing	N.A.
Colour	Blue
Length	35cm
Packing	12 pairs/pack, 144 pairs/carton
Tariff number	61143000

RECOMMENDED APPLICATIONS

General purpose, or works with high cut hazards.

Such as handling sharp edge parts, handling electronics parts, handling metal sheets or panels, cutting and etc.



CERTIFICATION

CE EN ISO 21420:2020

Category II

**EN388:2016 Mechanical protection:
levels obtained in laboratory tests**

Abrasion (min.0 to max. 4): **3**
Blade cut - coupe test (Index) (min.0 to max. 5): **X**
Tear (min.0 to max. 4): **4**
Puncture (min.0 to max. 4): **X**
Cut resistance from sharp objects EN ISO
13997:1999 (min. 0 to max. F, X - not tested): **F**
Impact protection (P if pass, F if failed): **-**

EN388:2016



3X4XF

EN ISO 21420:2020 Dexterity (min.0 to max.5):
level 5.

STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general. The shelf life depends on the storage and other conditions. For the new product stored in a properly way, the shelf life of Xcellent 30-735 can normally be 5 years.

CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

WARNING

Don't use in case of chemicals, moving machines or electrical risk.
Please ensure the products are strictly used within their protection levels.
Never wear gloves when operating machinery with accessible rotating or other moving parts.

